THE JOURNAL OF NUTRITION

OFFICIAL ORGAN OF THE AMERICAN INSTITUTE OF NUTRITION

GEORGE R. COWGILL, *Editor*
Yale Nutrition Laboratory, 333 Cedar Street
New Haven 11, Conn.

EDITORIAL BOARD

R. H. BARNES
PAUL L. DAY
H. H. MITCHELL
WILLIAM J. DARBY
D. M. HEGSTED
PEARL P. SWANSON
VERNON H. CHELDELIN
CARL V. MOORE
HAROLD H. WILLIAMS
ALEX BLACK
FLOYD S. DAFT
HARRY G. DAY

VOLUME 44

MAY – AUGUST 1951

PUBLISHED MONTHLY BY
THE WISTAR INSTITUTE OF ANATOMY AND BIOLOGY
PHILADELPHIA, PENNSYLVANIA

CONTENTS

No. 1 MAY 1951

ARTHUR H. SMITH. Biography of William Beaumont with frontispiece 3

VIRGINIA E. DAVIS, A. A. HEIDEBRECHT, ROBERT MACVICAR, O. B. ROSS AND C. K. WHITEHAIR. The composition of swine milk. II. Thiamine, riboflavin, niacin and pantothenic acid content. Four figures 17

O. B. FARDIG, N. B. GUERRANT AND R. A. DUTCHER. A study of the discrepancy in the thiamine content of meat as measured by the thiochrome and rat growth methods. Four figures 29

A. A. HEIDEBRECHT, ROBERT MACVICAR, O. B. ROSS AND C. K. WHITEHAIR. Composition of swine milk. I. Major constituents and carotene, vitamin A and vitamin C 43

BESSIE B. COOK, AGNES FAY MORGAN, ELSIE O. WEAST AND JANICE PARKER. The effect of heat treatment on the nutritive value of milk proteins. I. Evaporated and powdered milks. One figure 51

BESSIE B. COOK, AGNES FAY MORGAN, BEATRICE SINGER AND JANICE PARKER. The effect of heat treatment on the nutritive value of milk proteins. II. Rat growth studies with casein and lactalbumin and their lactose derivatives. One figure 63

RUTH OKEY, R. PENCHARZ, S. LEPKOVSKY AND ELEANOR B. VERNON WITH THE TECHNICAL ASSISTANCE OF DOROTHY JEROME AND MONA MARQUETTE. Dietary constituents which may influence the use of food cholesterol. I. Eggs: Biotin and avidin. Two figures 83

LOUIS J. PECORA AND JAMES M. HUNDLEY. Nutritional improvement of white polished rice by the addition of lysine and threonine. One figure 101

L. S. GALL, W. E. THOMAS, J. K. LOOSLI AND C. N. HUHTANEN. The effect of purified diets upon rumen flora 113

WILLIAM S. HOFFMAN AND GORDON C. MCNEIL. Nitrogen requirement of normal men on a diet of protein hydrolysate enriched with the limiting essential amino acids. Seven figures 123

J. P. Pratt, B. M. Hamil, Elsie Z. Moyer, Mildred Kaucher, Charlotte Roderuck, Margaret N. Coryell, Sol Miller, Harold H. Williams and Icie G. Macy. Metabolism of women during the reproductive cycle. XVIII. The effect of multi-vitamin supplements on the secretion of B vitamins in human milk. One figure 141

Raymond Reiser with the technical assistance of Betty Gibson, Mary Joyce Carr and Beverly Gene Lamp. The syntheses an interconversions of polyunsaturated fatty acids by the laying hen 159

Earle W. Crampton, R. H. Common, Florence A. Farmer, F. Marion Berryhill and I. Wiseblatt. Studies to determine the nature of the damage to the nutritive value of some vegetable oils from heat treatment. II. Investigation of the nutritiousness of the products of thermal polymerization of linseed oil 177

No. 2 JUNE 1951

Ruth L. Pike. Congenital cataract in albino rats fed different amounts of tryptophan and niacin. Five figures 191

Gertrude Armbruster and Hazel C. Murray. The effect of canning procedures on the nutritive value of the protein in peas 205

Bessie B. Cook, Jane Fraenkel-Conrat, Beatrice Singer and Agnes Fay Morgan with the technical assistance of Rae Buell and Joan Greenburg Moises. The effect of heat treatment on the nutritive value of milk proteins. III. The effect of heat on casein, lactalbumin, and their lactose-induced derivatives, with special reference to digestibility and rate of release of lysine, methionine and tryptophan. Four figures 217

E. S. Nasset and Joseph T. Anderson. Nitrogen balance index in the adult rat as affected by diets low in L- and DL-methionine. Two figures 237

R. L. Atkinson and J. R. Couch. Vitamin B_{12}, an APF concentrate, aureomycin, streptomycin, liver "L" and fish meal and fish solubles in the nutrition of the poult. One figure 249

Mary E. Dumm and Elaine P. Ralli. The influence of sex and diet on the capacity of intact and adrenalectomized rats to acetylate *p*-aminobenzoic acid. Two figures 265

Ethel M. Thompson, Mary E. R. Bal, Edna M. McIntosh, Grace MacLeod and Clara M. Taylor. The energy expenditure for quiet play and cycling of girls 6 to 14 years of age 275

ANTHONY A. ALBANESE, REGINALD A. HIGGONS, GEORGE E. MACDONALD, WILLIAM C. FELCH, BETTY VESTAL AND LOUKIA STEPHANSON. Biological value of an enzymatic digest of bovine plasma 281

CLARA MAE TAYLOR, ORREA FLORENCE PYE, MARY SCHAFER AND SHIRLEY WING. The energy expenditure of boys and girls 9 to 11 years of age (1) washing and wiping dishes, (2) boys engaged in carpentry, and (3) girls sewing 295

A. E. SCHAEFER, W. D. SALMON AND D. R. STRENGTH. The influence of vitamin B_{12} on the utilization of choline precursors by the chick 305

BEULAH D. WESTERMAN AND MIRIAM STONE. Improving the nutritive value of flour. IV. The significance of the use of enriched flour in the diet. Two figures 313

J. G. BIERI. Stability of aqueous and oily vitamin A acetate and carotene solutions. Two figures 327

MARY ELDRID ANDERSON AND HAROLD H. WILLIAMS. Microbiological evaluation of protein quality. I. A colorimetric method for the determination of the growth of Tetrahymena geleii W in protein suspensions. Three figures 335

No. 3 JULY 1951

KANEMATSU SUGIURA. Editorial review. On the relation of diets to the development, prevention and treatment of cancer, with special reference to cancer of the stomach and liver. Five figures 345

HWA LIH, TSOO E. KING, HARVEY HIGGINS, C. A. BAUMANN AND F. M. STRONG. Growth-promoting activity of bound pantothenic acid in the rat 361

D. RICHARDSON, D. V. CATRON, L. A. UNDERKOFLER, H. M. MADDOCK AND W. C. FRIEDLAND. Vitamin B_{12} requirement of male weanling pigs. Four figures 371

THELMA J. MCMILLAN AND FRANCES A. JOHNSTON. The absorption of iron from spinach by six young women, and the effect of beef upon the absorption 383

HOWARD B. LEWIS AND RUTH STINE FAJANS. The supplemental value of cystine and methionine for low protein (casein) diets fed the young white rat 399

JOSEPH C. MUHLER AND HARRY G. DAY. Effect of stannous fluoride in food and in drinking water on caries prevention in rats on high sucrose and coarse corn diets 413

HAROLD L. ROSENTHAL AND JAMES B. ALLISON. Some effects of caloric intake on nitrogen balance in dogs. Four figures 423

CHARLES F. BASSETT, LORIN E. HARRIS AND C. FORD WILKE. Effect of various levels of calcium, phosphorus and vitamin D intake on bone growth. II. Minks. Six figures 433

MARIANNE GOETTSCH. The role of vitamin E in the production of nutritional liver injury in rats on low casein diets 443

SEDGWICK E. SMITH, BERL A. KOCH AND K. L. TURK. The response of cobalt-deficient lambs to liver extract and vitamin B_{12} 455

D. BREESE JONES with the technical assistance of ALVIN CALDWELL. Sex differences in the growth of young rats and survival of adult rats fed protein-deficient diets 465

E. S. NASSET AND R. H. TULLY, III. Urinary excretion of essential amino acids by human subjects fed diets containinng proteins of different biological value 477

No. 4 AUGUST 1951

MARGARET M. BURNS AND JOHN M. MCKIBBIN. The lipotropic effect of vitamin B_{12} in the dog. One figure 487

H. E. PARKER, F. N. ANDREWS, S. M. HAUGE AND F. W. QUACKENBUSH. Studies on the iodine requirements of white rats during growth, pregnancy and lactation 501

E. A. SELLERS AND ROSEMARY W. YOU. Propylthiouracil, thyroid, and dietary liver injury. Sixteen figures 513

RUTH M. LEVERTON, MARY R. GRAM AND MARILYN CHALOUPKA. Effect of the time factor and calorie level of nitrogen utilization of young women. 537

ROBERT L. SQUIBB, HOWARD T. LOVE AND MIRIAM K. WYLD. The digestibility of six tropical fats as determined on rats. 547

MILDRED L. BRICKER AND JANICE M. SMITH. A study of the endogenous nitrogen output of college women, with particular reference to use of the creatinine output in the calculation of the biological values of the protein of egg and of sunflower seed flour. One figure 553

GREGORY SHWARTZMAN AND HELEN HIFT. Transamination reaction in normal and B_6-deficient hamsters. Two figures 575

WALTER L. NELSON, ALVIN KAYE, MARIANNE MOORE, HAROLD H. WILLIAMS AND B. L. HERRINGTON. Milking techniques and the composition of guinea pig milk. Two figures 585

RAY L. SHIRLEY, RILEY DEAL OWENS AND GEORGE K. DAVIS. Alimentary excretion of phosphorus^{32} in rats on high molybdenum and copper diets. One figure 595

DAVID M. BONNER AND CHARLES YANOFSKY. *Editorial Review.* The biosyntheses of tryptophan and niacin and their relationships. One figure 603

AMERICAN INSTITUTE OF NUTRITION. Proceedings of the fifteenth annual meeting, Cleveland, Ohio, April 29–May 3, 1951 617

INDEX

ACIDS, polyunsaturated fatty, syntheses and interconversions by laying hen, 159.
Adrenalectomized rats, influence of sex and diet on capacity to acetylate *p*-aminobenzoic acid, 265.
Adult rat (see Rat, adult).
ALBANESE, A. A., R. A. HIGGONS, G. E. MACDONALD, W. C. FELCH, BETTY VESTAL AND LOUKIA STEPHANSON. Biological value of an enzymatic digest of bovine plasma, 281.
Albino rats (see Rats, albino).
Alimentary excretion of phosphorus^{32} in rats on high molybdenum and copper diets, 595.
ALLISON, J. B. See Rosenthal, H. L., 423.
American Institute of Nutrition.
  Borden Award in Nutrition, presentation, 1951, 622.
  By-law changes, 618.
  Editor of Journal of Nutrition, report, 1951, 619.
  Editorial Board, 1951, 620.
  Election of officers for 1951–52, 621.
  New members elected, 1951, 617–618.
  Osborne and Mendel Award, presentation, 1951, 623.
  Proceedings, 15th annual meeting, 1951, 617–624.
Amino acids, limiting essential, nitrogen requirement of normal men on diet of protein hydrolysate enriched with, 123.
—— urinary excretion of essential, by human subjects fed diets containing proteins of different biological value, 477.
Aminobenzoic acid (*p*-), influence of sex and diet on capacity of intact and adrenalectomized rats to acetylate, 265.
ANDERSON, J. T. See Nasset, E. S., 237.
ANDERSON, M. E., AND H. H. WILLIAMS. Microbiological evaluation of protein quality. I. A colorimetric method for the determination of the growth of *Tetrahymena geleii* W in protein suspensions, 335.
ANDREWS, F. N. See Parker, H. E., 501.
Animal protein factor (APF) concentrate, an, in nutrition of poult, 249.
APF (animal protein factor) concentrate, an, in nutrition of poult, 249.
Aqueous and oily vitamin A and carotene solutions, stability of, 327.
ARMBRUSTER, G. D. A., AND H. C. MURRAY. The effect of canning procedures on the nutritive value of the protein in peas, 205.
ATKINSON, R. L., AND J. R. COUCH. Vitamin B_{12}, an APF concentrate, aureomycin, streptomycin, liver "L" and fish meal and fish solubles in the nutrition of the poult, 249.
Aureomycin in nutrition of poult, 249.
Avidin and biotin in eggs. Dietary constituents which may influence use of food cholesterol. I., 83.
Award, Borden, in Nutrition (see Borden Award).
— Osborne and Mendel (see Osborne and Mendel Award).

B vitamins (see Vitamins, B).
BAL, M. E. R. See Thompson, E. M., 275.
Balance index, nitrogen (see Nitrogen balance index).
— nitrogen, in dogs, some effects of caloric intake on, 423.
BASSETT, C. F., L. E. HARRIS AND C. F. WILKE. Effect of various levels of calcium, phosphorus and vitamin D intake on bone growth. II. Minks, 433.
BAUMANN, C. A. See Lih, H., 361.
BEAUMONT, WILLIAM (November 21, 1785–April 25, 1853), 3.
Beef, effect upon absorption of iron from spinach by 6 young women, 383.
BERRYHILL, F. M. See Crampton, E. W., 177.
BIERI, J. G. Stability of aqueous and oily vitamin A and carotene solutions, 327.
Biological value(s) of an enzymatic digest of bovine plasma, 281.
—— of protein of egg and of sunflower seed flour, use of creatinine output in calculation of, 553.
—— urinary excretion of essential amino acids by human subjects fed diets containing proteins of different, 477.
Biosyntheses of tryptophan and niacin and their relationships, 603.
Biotin and avidin in eggs. Dietary constituents which may influence use of food cholesterol. I., 83.
Bone growth, effect of various levels of calcium, phosphorus and vitamin D intake on. II. Minks, 433.
BONNER, D. M., AND C. YANOFSKY. The biosyntheses of tryptophan and niacin and their relationships, 603.
Borden Award in Nutrition, 1951, presentation, 622.
Bound pantothenic acid in rat, growth-promoting activity of, 361.
Bovine plasma, biological value of an enzymatic digest of, 281.
Boys 9 to 11 years of age, energy expenditure (1) washing and wiping dishes, (2) engaged in carpentry, 295.
BRICKER, M. L., AND J. M. SMITH. A study of the endogenous nitrogen output of college women, with particular reference to use of the creatinine output in the calculation of the biological values of the protein of egg and of sunflower seed flour, 553.
BUELL, R. See Cook, B. B., 217.
BURNS, M. M., AND J. M. MCKIBBIN. The lipotropic effect of vitamin B_{12} in the dog, 487.

CALCIUM intake, effect on bone growth of various levels of. II. Minks, 433.
CALDWELL, A. See Jones, D. B., 465.
Caloric intake, some effects on nitrogen balance in dogs, 423.
Calorie level and time factor, effect on nitrogen utilization of young women, 537.

Cancer, relation of diets to development, prevention and treatment of, with special reference to cancer of stomach and liver, 345.
Canning procedures, effect on nutritive value of protein in peas, 205.
Capacity of intact and adrenalectomized rats to acetylate *p*-aminobenzoic acid, influence of sex and diet on, 265.
Caries prevention in rats on high sucrose and coarse corn diets, effect of stannous fluoride in food and in drinking water on, 413.
Carotene and vitamin A solutions, stability of aqueous and oily, 327.
— vitamin A, vitamin C, and major constituents of swine milk, 43.
Carpentry, energy expenditure of boys 9 to 11 years of age engaged in, 295.
CARR, M. J. See Reiser, R., 159.
Casein, lactalbumin and their lactose derivatives, rat growth studies with. Effect of heat treatment on nutritive value of milk proteins. II., 63.
— — and their lactose-induced derivatives, effect of heat on, 217.
— (low) diets, role of vitamin E in production of nutritional liver injury in rats on, 443.
— (protein) diets, low, fed young white rat, supplemental value of cystine and methionine for, 399.
Cataract, congenital, in albino rats fed different amounts of tryptophan and niacin, 191.
CATRON, D. V. See Richardson, D., 371.
CHALOUPKA, M. See Leverton, R. M., 537.
Chick, influence of vitamin B_{12} on utilization of choline precursors by, 305.
Cholesterol (food), dietary constituents which may influence use of. I., 83.
Choline precursors, influence of vitamin B_{12} on utilization by chick, 305.
Coarse corn and high sucrose diets, effect of stannous fluoride in food and in drinking water on caries prevention in rats on, 413.
Cobalt-deficient lambs, response to liver extract and vitamin B_{12}, 455.
College women (see Women, college).
Colorimetric method for determination of growth of *Tetrahymena geleii* W in protein suspensions. Microbiological evaluation of protein quality. I., 335.
COMMON, R. H. See Crampton, E. W., 177.
Congenital cataract in albino rats fed different amounts of tryptophan and niacin, 191.
COOK, B. B., J. FRAENKEL-CONRAT, B. SINGER AND A. F. MORGAN. The effect of heat treatment on the nutritive value of milk proteins. III. The effect of heat on casein, lactalbumin, and their lactose-induced derivatives, with special reference to digestibility and rate of release of lysine, methionine and tryptophan, 217.
COOK, B. B., A. F. MORGAN, B. SINGER AND J. S. PARKER. The effect of heat treatment on the nutritive value of milk proteins. II. Rat growth studies with casein and lactalbumin and their lactose derivatives, 63.
COOK, B. B., A. F. MORGAN, E. O. WEAST AND J. S. PARKER. The effect of heat treatment on the nutritive value of milk proteins. I. Evaporated and powdered milks, 51.
Copper and high molybdenum diets, alimentary excretion of phosphorus[32] in rats on, 595.
Corn (coarse) and high sucrose diets, effect of stannous fluoride in food and in drinking water on caries prevention in rats on, 413.
CORYELL, M. N. See Pratt, J. P., 141.
COUCH, J. R. See Atkinson, R. L., 249.
CRAMPTON, E. W., R. H. COMMON, F. A. FARMER, F. M. BERRYHILL AND L. WISEBLATT. Studies to determine the nature of the damage to the nutritive value of some vegetable oils from heat treatment. II. Investigation of the nutritiousness of the products of thermal polymerization of linseed oil, 177.
Creatinine output, use in calculation of biological values of protein of egg and sunflower seed flour, 553.
Cycle, reproductive, metabolism of women during. XVIII., 141.
Cycling, energy expenditure for, of girls 6 to 14 years of age, 275.
Cystine, supplemental value for low protein (casein) diets fed young white rat, 399.

DAMAGE to nutritive value of some vegetable oils from heat treatment, studies to determine nature of. II. Investigation of the nutritiousness of the products of thermal polymerization of linseed oil, 177.
DAVIS, G. K. See Shirley, R. L., 595.
DAVIS, V. E., A. A. HEIDEBRECHT, R. W. MACVICAR, O. B. ROSS AND C. K. WHITEHAIR. The composition of swine milk. II. Thiamine, riboflavin, niacin and pantothenic acid content, 17.
DAY, H. G. See Muhler, J. C., 413.
Diet(s) and sex, influence on capacity of intact and adrenalectomized rats to acetylate *p*-aminobenzoic acid, 265.
— containing proteins of different biological value, urinary excretion of essential amino acids by human subjects fed, 477.
— high molybdenum and copper, alimentary excretion of phosphorus[32] in rats on, 595.
— — sucrose and coarse corn, effect of stannous fluoride in food and in drinking water on caries prevention in rats on, 413.
— low casein, role of vitamin E in production of nutritional liver injury in rats on, 443.
— — in L- and DL-methionine, nitrogen balance index in adult rat as affected by, 237.
— — protein (casein), fed young white rat, supplemental value of cystine and methionine for, 399.
— of protein hydrolysate enriched with the limiting essential amino acids, nitrogen requirement of normal men on, 123.
— protein-deficient, sex differences in growth of young rats and survival of adult rats fed, 465.
— purified, effect upon rumen flora, 113.
— relation to development, prevention and treatment of cancer, with special reference to cancer of stomach and liver, 345.
— significance of use of enriched flour in, 313.
Dietary constituents which may influence use of food cholesterol. I. Eggs: biotin and avidin, 83.
— liver injury, propylthiouracil, and thyroid, 513.
Digest, enzymatic, of bovine plasma, biological value of an, 281.
Digestibility and rate of release of lysine, methionine and tryptophan, effect of heat on casein, lactalbumin and their lactose-induced derivatives, with special reference to, 217.
— of 6 tropical fats as determined on rats, 547.
Discrepancy in thiamine content of meat as measured by thiochrome and rat growth methods, 29.

Dishes, energy expenditure of boys and girls 9 to 11 years of age washing and wiping, 295.
Dog(s), lipotropic effect of vitamin B_{12} in, 487.
— some effects of caloric intake on nitrogen balance in, 423.
Drinking water, effect of stannous fluoride in, on caries prevention in rats on high sucrose and coarse corn diets, 413.
DUMM, M. E., AND E. P. RALLI. The influence of sex and diet on the capacity of intact and adrenalectomized rats to acetylate *p*-aminobenzoic acid, 265.
DUTCHER, R. A. See Fardig, O. B., 29.

EGG(s), biotin and avidin in. Dietary constituents which may influence use of food cholesterol. I., 83.
— use of creatinine output in calculation of biological values of protein of, 553.
Endogenous nitrogen output of college women, 553.
Energy expenditure for quiet play and cycling of girls 6 to 14 years of age, 275.
— — of boys and girls 9 to 11 years of age (1) washing and wiping dishes, (2) boys engaged in carpentry, and (3) girls sewing, 295.
Enriched flour, significance of use in diet, 313.
Enzymatic digest of bovine plasma, biological value of an, 281.
Evaporated milks. Effect of heat treatment on nutritive value of milk proteins. I., 51.
Excretion, alimentary, of phosphorus^{32} in rats on high molybdenum and copper diets, 595.
— urinary (see Urinary excretion).
Extract, liver (see Liver extract).

FACTOR (time) and calorie level, effect on nitrogen utilization of young women, 537.
FAJANS, R. S. See Lewis, H. B., 399.
FARDIG, O. B., N. B. GUERRANT AND R. A. DUTCHER. A study of the discrepancy in the thiamine content of meat as measured by the thiochrome and rat growth methods, 29.
FARMER, F. A. See Crampton, E. W., 177.
Fats, digestibility of 6 tropical, as determined on rats, 547.
Fatty acids, polyunsaturated, syntheses and interconversions by laying hen, 159.
FELCH, W. C. See Albanese, A. A., 281.
Fish meal and fish solubles in nutrition of poult, 249.
Flora, rumen, effect of purified diets upon, 113.
Flour, enriched, significance of use in diet, 313.
— improving the nutritive value of. IV., 313.
— (sunflower seed), use of creatinine output in calculation of biological values of protein of, 553.
Fluoride, stannous, in food and in drinking water, effect on caries prevention in rats on high sucrose and coarse corn diets, 413.
Food cholesterol, dietary constituents which may influence use of. I., 83.
— effect of stannous fluoride in, on caries prevention in rats on high sucrose and coarse corn diets, 413.
FRAENKEL-CONRAT, J. See Cook, B. B., 217.
FRIEDLAND, W. C. See Richardson, D., 371.

GALL, L. S., W. E. THOMAS, J. K. LOOSLI AND C. N. HUHTANEN. The effect of purified diets upon rumen flora, 113.
GIBSON, B. See Reiser, R., 159.
Girls 6 to 14 years of age, energy expenditure for quiet play and cycling, 275.
— 9 to 11 years of age, energy expenditure (1) washing and wiping dishes, (2) sewing, 295.
GOETTSCH, M. The role of vitamin E in the production of nutritional liver injury in rats on low casein diets, 443.
GRAM, M. R. See Leverton, R. M., 537.
Growth, bone, effect of various levels of calcium, phosphorus and vitamin D intake on. II. Minks, 433.
— iodine requirements of white rats during, 501.
— of *Tetrahymena geleii* W in protein suspensions, colorimetric method for determination of. Microbiological evaluation of protein quality. I., 335.
— of young rats fed protein-deficient diets, sex differences in, 465.
— promoting activity of bound pantothenic acid in rat, 361.
— (rat) and thiochrome methods, discrepancy in thiamine content of meat as measured by, 29.
— studies, rat, with casein and lactalbumin and their lactose derivatives. Effect of heat treatment on nutritive value of milk proteins. II., 63.
GUERRANT, N. B. See Fardig, O. B., 29.
Guinea pig milk, milking techniques and composition of, 585.

HAMIL, B. M. See Pratt, J. P., 141.
Hamsters, normal and B_6-deficient, transamination reaction in, 575.
HARRIS, L. E. See Bassett, C. F., 433.
HAUGE, S. M. See Parker, H. E., 501.
Heat, effect on casein, lactalbumin and their lactose-induced derivatives, with special reference to digestibility and rate of release of lysine, methionine and tryptophan, 217.
— treatment, effect on nutritive value of milk proteins. I. Evaporated and powdered milks, 51; II. Rat growth studies with casein and lactalbumin and their lactose derivatives, 63; III. The effect of heat on casein, lactalbumin, and their lactose-induced derivatives, with special reference to digestibility and rate of release of lysine, methionine and tryptophan, 217.
— — studies to determine nature of damage to nutritive value of some vegetable oils from. II., 177.
HEIDEBRECHT, A. A., R. W. MACVICAR, O. B. ROSS AND C. K. WHITEHAIR. Composition of swine milk. I. Major constituents and carotene, vitamin A, and vitamin C, 43.
— See Davis, V. E., 17.
Hen, laying, syntheses and interconversions of polyunsaturated fatty acids by, 159.
HERRINGTON, B. L. See Nelson, W. L., 585.
HIFT, H. See Shwartzman, G., 575.
HIGGINS, H. See Lih, H., 361.
HIGGONS, R. A. See Albanese, A. A., 281.
HOFFMAN, W. S., AND G. C. MCNEIL. Nitrogen requirement of normal men on a diet of protein hydrolysate enriched with the limiting essential amino acids, 123.
HUHTANEN, C. N. See Gall, L. S., 113.
Human milk (see Milk, human).
— subjects (see Man).
HUNDLEY, J. M. See Pecora, L. J., 101.
Hydrolysate, protein, diet of, enriched with the limiting essential amino acids, nitrogen requirement of normal men on, 123.

IMPROVEMENT, nutritional, of white polished rice by addition of lysine and threonine, 101.
Improving the nutritive value of flour. IV. The significance of the use of enriched flour in the diet, 313.
Injury (dietary liver), propylthiouracil, and thyroid, 513.
— nutritional liver, in rats on low casein diets, role of vitamin E in production of, 443.
Intact rats, influence of sex and diet on capacity to acetylate *p*-aminobenzoic acid, 265.
Interconversions and syntheses of polyunsaturated fatty acids by laying hen, 159.
Iodine requirements of white rats during growth, pregnancy and lactation, 501.
Iron, absorption from spinach by 6 young women, and effect of beef upon the absorption, 383.

JEROME, D. See Okey, R., 83.
JOHNSTON, F. A. See McMillan, T. J., 383.
JONES, D. B. Sex differences in the growth of young rats and survival of adult rats fed protein-deficient diets, 465.

KAUCHER, M. See Pratt, J. P., 141.
KAYE, A. See Nelson, W. L., 585.
KING, T. E. See Lih, H., 361.
KOCH, B. A. See Smith, S. E., 455.

LACTALBUMIN, casein and their lactose derivatives. Effect of heat treatment on nutritive value of milk proteins. II., 63.
—— and their lactose-induced derivatives, effect of heat treatment on, 217.
Lactation, iodine requirements of white rats during, 501.
Lactose derivatives, rat growth studies with casein and lactalbumin and their. Effect of heat treatment on nutritive value of milk proteins. II., 63.
— induced derivatives, effect of heat on casein, lactalbumin and their, 217.
Lambs, cobalt-deficient, response to liver extract and vitamin B_{12}, 455.
LAMP, B. G. See Reiser, R., 159.
Laying hen (see Hen, laying).
LEPKOVSKY, S. See Okey, R., 83.
LEVERTON, R. M., M. R. GRAM AND M. CHALOUPKA. Effect of the time factor and calorie level on nitrogen utilization of young women, 537.
LEWIS, H. B., AND R. S. FAJANS. The supplemental value of cystine and methionine for low protein (casein) diets fed the young white rat, 399.
LIH, H., T. E. KING, H. HIGGINS, C. A. BAUMANN AND F. M. STRONG. Growth-promoting activity of bound pantothenic acid in the rat, 361.
Limiting essential amino acids, nitrogen requirement of normal men on diet of protein hydrolysate enriched with, 123.
Linseed oil, investigation of nutritiousness of products of thermal polymerization of, 177.
Lipotropic effect of vitamin B_{12} in dog, 487.
Liver extract and vitamin B_{12}, response of cobalt-deficient lambs to, 455.
— injury (dietary), propylthiouracil, and thyroid, 513.
—— nutritional, in rats on low casein diets, role of vitamin E in production of, 443.
— "L" in nutrition of poult, 249.
— relation of diets to development, prevention and treatment of cancer of, 345.
LOOSLI, J. K. See Gall, L. S., 113.
LOVE, H. T. See Squibb, R. L., 547.
Lysine and threonine, nutritional improvement of white polished rice by addition of, 101.
— methionine and tryptophan, effect of heat on casein, lactalbumin and their lactose-induced derivatives, with special reference to digestibility and rate of release of, 217.

MACDONALD, G. F. See Albanese, A. A., 281.
MACLEOD, G. See Thompson, E. M., 275.
MACVICAR, R. W. See Davis, V. E., 17; Heidebrecht, A. A., 43.
MACY, I. G. See Pratt, J. P., 141.
MADDOCK, H. M. See Richardson, D., 371.
Man fed diets containing proteins of different biological value, urinary excretion of essential amino acids by, 477.
MARQUETTE, M. See Okey, R., 83.
MCINTOSH, E. M. See Thompson, E. M., 275.
MCKIBBIN, J. M. See Burns, M. M., 487.
MCMILLAN, T. J., AND F. A. JOHNSTON. The absorption of iron from spinach by 6 young women, and the effect of beef upon the absorption, 383.
MCNEIL, G. C. See Hoffman, W. S., 123.
Meat, discrepancy in thiamine content of, as measured by thiochrome and rat growth methods, 29.
Men, normal, nitrogen requirement on diet of protein hydrolysate enriched with limiting essential amino acids, 123.
Metabolism of women during reproductive cycle. XVIII. The effect of multivitamin supplements on the secretion of B vitamins in human milk, 141.
Methionine (L- and DL-), nitrogen balance index in adult rat as affected by diets low in, 237.
— lysine and tryptophan, effect of heat on casein, lactalbumin and their lactose-induced derivatives, with special reference to digestibility and rate of release of, 217.
— supplemental value for low protein (casein) diets fed young white rat, 399.
Method(s), colorimetric, for determination of growth of *Tetrahymena geleii* W in protein suspensions. Microbiological evaluation of protein quality. I., 335.
— thiochrome and rat growth, discrepancy in thiamine content of meat as measured by, 29.
Microbiological evaluation of protein quality. I. A colorimetric method for the determination of the growth of *Tetrahymena geleii* W in protein suspensions, 335.
Milk(s), evaporated and powdered. Effect of heat treatment on nutritive value of milk proteins. I., 51.
— (guinea pig), milking techniques and composition of, 585.
— human, effect of multivitamin supplements on secretion of B vitamins in, 141.
— proteins, effect of heat treatment on nutritive value of. I., 51; II., 63; III., 217.
— swine, composition of. I., 43; II., 17.
Milking techniques and composition of guinea pig milk, 585.
MILLER, S. See Pratt, J. P., 141.
Minks. Effect of various levels of calcium, phosphorus and vitamin D intake on bone growth. II., 433.
MOISES, J. G. See Cook, B. B., 217.
Molybdenum (high) and copper diets, alimentary excretion of phosphorus^{32} in rats on, 595.

MOORE, M. See Nelson, W. L., 585.
MORGAN, A. F., See Cook, B. B., 51, 63, 217.
MOYER, E. Z. See Pratt, J. P., 141.
MUHLER, J. C., AND H. G. DAY. Effect of stannous fluoride in food and in drinking water on caries prevention in rats on high sucrose and coarse corn diets, 413.
Multivitamin supplements, effect on secretion of B vitamins in human milk, 141.
MURRAY, H. C. See Armbruster, G. D. A., 205.

NASSET, E. S., AND J. T. ANDERSON. Nitrogen balance index in the adult rat as affected by diets low in L- and DL-methionine, 237.
— AND R. H. TULLY, III. Urinary excretion of essential amino acids by human subjects fed diets containing proteins of different biological value, 477.
NELSON, W. L., A. KAYE, M. MOORE, H. H. WILLIAMS AND B. L. HERRINGTON. Milking techniques and the composition of guinea pig milk, 585.
Niacin and tryptophan, biosyntheses of, and their relationships, 603.
— — — congenital cataract in albino rats fed different amounts of, 191.
— content of swine milk, 17.
Nitrogen balance in dogs, some effects of caloric intake on, 423.
— — index in adult rat as affected by diets low in L- and DL-methionine, 237.
— (endogenous) output of college women, 553.
— requirement of normal men on diet of protein hydrolysate enriched with the limiting essential amino acids, 123.
— utilization of young women, effect of time factor and calorie level on, 537.
Normal hamsters (see Hamsters).
— men (see Men, normal).
Nutrition of poult, vitamin B_{12}, an APF concentrate, aureomycin, streptomycin, liver "L" and fish meal and fish solubles in, 249.
Nutritional improvement of white polished rice by addition of lysine and threonine, 101.
— liver injury, role of vitamin E in production of, in rats on low casein diets, 443.
Nutritiousness of products of thermal polymerization of linseed oil, investigation of, 177.
Nutritive value of flour, improving the. IV., 313.
— — of milk proteins, effect of heat treatment on. I., 51; II., 63; III., 217.
— — of protein in peas, effect of canning procedures on, 205.
— — of some vegetable oils, studies to determine nature of damage to, from heat treatment. II., 177.

OILS, some vegetable, studies to determine nature of damage to nutritive value of, from heat treatment. II., 177.
Oily and aqueous vitamin A and carotene solutions, stability of, 327.
OKEY, R., R. PENCHARZ, S. LEPKOVSKY AND E. R. VERNON. Dietary constituents which may influence the use of food cholesterol. I. Eggs: biotin and avidin, 83.
Osborne and Mendel Award, 1951, presentation, 623.
OWENS, R. D. See Shirley, R. L., 595.

PANTOTHENIC acid, bound, in rat, growth-promoting activity of, 361.
— — content of swine milk, 17.
PARKER, H. E., F. N. ANDREWS, S. M. HAUGE AND F. W. QUACKENBUSH. Studies on the iodine requirements of white rats during growth, pregnancy and lactation, 501.
PARKER, J. S. See Cook, B. B., 51, 63.
Peas, effect of canning procedures on nutritive value of protein in, 205.
PECORA, L. J., AND J. M. HUNDLEY. Nutritional improvement of white polished rice by the addition of lysine and threonine, 101.
PENCHARZ, R. See Okey, R., 83.
Phosphorus intake, effect on bone growth of various levels of. II. Minks, 433.
Phosphorus^{32}, alimentary excretion in rats on high molybdenum and copper diets, 595.
Pig(s), guinea (see Guinea pigs).
— male weanling, vitamin B_{12} requirement of, 371.
PIKE, R. L. Congenital cataract in albino rats fed different amounts of tryptophan and niacin, 191.
Plasma, bovine, biological value of an enzymatic digest of, 281.
Play, quiet, energy expenditure for, of girls 6 to 14 years of age, 275.
Polished rice, white, nutritional improvement by addition of lysine and threonine, 101.
Polymerization, thermal, of linseed oil, investigation of nutritiousness of products of, 177.
Polyunsaturated fatty acids, syntheses and interconversions by laying hen, 159.
Poult, vitamin B_{12}, an APF concentrate, aureomycin, streptomycin, liver "L" and fish meal and fish solubles in nutrition of, 249.
Powdered milks. Effect of heat treatment on nutritive value of milk proteins. I., 51.
PRATT, J. P., B. M. HAMIL, E. Z. MOYER, M. KAUCHER, C. RODEBUCK, M. N. COREY-ELL, S. MILLER, H. H. WILLIAMS AND I. G. MACY. Metabolism of women during the reproductive cycle. XVIII. The effect of multivitamin supplements on the secretion of B vitamins in human milk, 141.
Precursors, choline, influence of vitamin B_{12} on utilization by chick, 305.
Pregnancy, iodine requirements of white rats during, 501.
Proceedings, American Institute of Nutrition (see American Institute of Nutrition).
Propylthiouracill, thyroid, and dietary liver injury, 513.
Protein(s) (casein) diets, low, fed young white rat, supplemental value of cystine and methionine for, 399.
— deficient diets, sex differences in growth of young rats and survival of adult rats fed, 465.
— hydrolysate, diet of, enriched with the limiting essential amino acids, nitrogen requirement of normal men on, 123.
— in peas, effect of canning procedures on nutritive value of, 205.
— milk, effect of heat treatment on nutritive value of. I., 51; II., 63; III., 217.
— of different biological value, urinary excretion of essential amino acids by human subjects fed diets containing, 477.
— of egg and of sunflower seed flour, use of creatinine output in calculation of biological values of, 553.
— quality, microbiological evaluation of. I., 335.

— suspensions, colorimetric method for determination of growth of *Tetrahymena geleii* W in. Microbiological evaluation of protein quality. I., 335.
Purified diets, effect upon rumen flora, 113.
PYE, O. F. See Taylor, C. M., 295.

QUACKENBUSH, F. W. See Parker, H. E., 501.
Quiet play, energy expenditure for, of girls 6 to 14 years of age, 275.

RALLI, E. P. See Dumm, M. E., 265.
Rat(s), adult, fed protein-deficient diets, sex differences in survival of, 465.
—— nitrogen balance index in, as affected by diets low in L- and DL-methionine, 237.
— albino, fed different amounts of tryptophan and niacin, congenital cataract in, 191.
— digestibility of 6 tropical fats as determined on, 547.
— growth and thiochrome methods, discrepancy in thiamine content of meat as measured by, 29.
—— studies with casein and lactalbumin and their lactose derivatives. Effect of heat treatment on nutritive value of milk proteins. II., 63.
— growth-promoting activity of bound pantothenic acid in, 361.
— intact and adrenalectomized, influence of sex and diet on capacity to acetylate *p*-aminobenzoic acid, 265.
— on high molybdenum and copper diets, alimentary excretion of phosphorus^{32} in, 595.
—— —— sucrose and coarse corn diets, effect of stannous fluoride in food and in drinking water on caries prevention in, 413.
— on low casein diets, role of vitamin E in production of nutritional liver injury in, 443.
— white, iodine requirements during growth, pregnancy and lactation, 501.
— young, fed protein-deficient diets, sex differences in growth of, 465.
—— white, supplemental value of cystine and methionine for low protein (casein) diets fed the, 399.
REISER, R. The syntheses and interconversions of polyunsaturated fatty acids by the laying hen, 159.
Release, rate of, and digestibility of lysine, methionine and tryptophan, effect of heat on casein, lactalbumin and their lactose-induced derivatives, with special reference to, 217.
Reproductive cycle, metabolism of women during. XVIII., 141.
Riboflavin content of swine milk, 17.
Rice, white polished, nutritional improvement by addition of lysine and threonine, 101.
RICHARDSON, D., D. V. CATRON, L. A. UNDERKOFLER, H. M. MADDOCK AND W. C. FRIEDLAND. Vitamin B_{12} requirement of male weanling pigs, 371.
RODERUCK, C. See Pratt, J. P., 141.
ROSENTHAL, H. L., AND J. B. ALLISON. Some effects of caloric intake on nitrogen balance in dogs, 423.
ROSS, O. B. See Davis, V. E., 17; Heidebrecht, A. A., 43.
Rumen flora, effect of purified diets upon, 113.

SALMON, W. D. See Schaefer, A. E., 305.
SCHAEFER, A. E., W. D. SALMON AND D. R. STRENGTH. The influence of vitamin B_{12} on the utilization of choline precursors by the chick, 305.
SCHAFER, M. L. See Taylor, C. M., 295.
Secretion of B vitamins in human milk, effect of multivitamin supplements on, 141.
Seed (sunflower) flour, use of creatinine output in calculation of biological values of protein of, 553.
SELLERS, E. A., AND R. W. YOU. Propylthiouracil, thyroid, and dietary liver injury, 513.
Sewing, energy expenditure of girls 9 to 11 years of age, 295.
Sex and diet, influence on capacity of intact and adrenalectomized rats to acetylate *p*-aminobenzoic acid, 265.
— differences in growth of young rats and survival of adult rats fed protein-deficient diets, 465.
SHIRLEY, R. L., R. D. OWENS AND G. K. DAVIS. Alimentary excretion of phosphorus^{32} in rats on high molybdenum and copper diets, 595.
SHWARTZMAN, G., AND H. HIFT. Transamination reaction in normal and B_6-deficient hamsters, 575.
SINGER, B. See Cook, B. B., 63, 217.
SMITH, A. H. William Beaumont (November 21, 1785–April 25, 1853), 3.
SMITH, J. M. See Bricker, M. L., 553.
SMITH, S. E., B. A. KOCH AND K. L. TURK. The response of cobalt-deficient lambs to liver extract and vitamin B_{12}, 455.
Solutions, vitamin A and carotene, stability of aqueous and oily, 327.
Spinach, absorption of iron from, by 6 young women, and effect of beef upon the absorption, 383.
SQUIBB, R. L., H. T. LOVE AND M. K. WYLD. The digestibility of 6 tropical fats as determined on rats, 547.
Stability of aqueous and oily vitamin A and carotene solutions, 327.
Stannous fluoride in food and in drinking water, effect on caries prevention in rats on high sucrose and coarse corn diets, 413.
STEPHANSON, L. See Albanese, A. A., 281.
Stomach, relation of diets to development, prevention and treatment of cancer of, 345.
STONE, M. C. See Westerman, B. D., 313.
STRENGTH, D. R. See Schaefer, A. E., 305.
Streptomycin in nutrition of poult, 249.
STRONG, F. M. See Lih, H., 361.
Sucrose (high) and coarse corn diets, effect of stannous fluoride in food and in drinking water on caries prevention in rats on, 413.
SUGIURA, K. On the relation of diets to the development, prevention and treatment of cancer, with special reference to cancer of the stomach and liver, 345.
Sunflower seed flour, use of creatinine output in calculation of biological values of protein of, 553.
Supplemental value of cystine and methionine for low protein (casein) diets fed the young white rat, 399.
Survival of adult rats fed protein-deficient diets, sex differences in, 465.
Suspensions, protein, colorimetric method for determination of growth of *Tetrahymena geleii* W in. Microbiological evaluation of protein quality. I., 335.

Swine milk, composition of. I. Major constituents and carotene, vitamin A, and vitamin C, 43; II. Thiamine, riboflavin, niacin and pantothenic acid content, 17.
Syntheses and interconversions of polyunsaturated fatty acids by laying hen, 159.

TAYLOR, C. M., O. F. PYE, M. L. SCHAFER AND S. M. WING. The energy expenditure of boys and girls 9 to 11 years of age (1) washing and wiping dishes, (2) boys engaged in carpentry, and (3) girls sewing, 295.
— See Thompson, E. M., 275.
Tetrahymena geleii W in protein suspensions, colorimetric method for determination of growth of. Microbiological evaluation of protein quality. I., 335.
Thermal polymerization of linseed oil, investigation of nutritiousness of products of, 177.
Thiamine content of meat, discrepancy in, as measured by thiochrome and rat growth methods, 29.
— — of swine milk, 17.
Thiochrome and rat growth methods, discrepancy in thiamine content of meat as measured by, 29.
THOMAS, W. E. See Gall, L. S., 113.
THOMPSON, E. M., M. E. R. BAL, E. M. MCINTOSH, G. MACLEOD AND C. M. TAYLOR. The energy expenditure for quiet play and cycling of girls 6 to 14 years of age, 275.
Threonine and lysine, nutritional improvement of white polished rice by addition of, 101.
Thyroid, propylthiouracil, and dietary liver injury, 513.
Time factor and calorie level, effect on nitrogen utilization of young women, 537.
Transamination reaction in normal and B_6-deficient hamsters, 575.
Tropical fats, digestibility of 6, as determined on rats, 547.
Tryptophan and niacin, biosyntheses of, and their relationships, 603.
— — — congenital cataract in albino rats fed different amounts of, 191.
— lysine and methionine, effect of heat on casein, lactalbumin and their lactose-induced derivatives, with special reference to digestibility and rate of release of, 217.
TULLY, R. H., III. See Nasset, E. S., 477.
TURK, K. L. See Smith, S. E., 455.

UNDERKOFLER, L. A. See Richardson, D., 371.
Urinary excretion of essential amino acids by human subjects fed diets containing proteins of different biological value, 477.

VEGETABLE oils, studies to determine nature of damage to nutritive value of some, from heat treatment. II., 177.
VERNON, E. R. See Okey, R., 83.
VESTAL, B. See Albanese, A. A., 281.
Vitamin(s) A and carotene solutions, stability of aqueous and oily, 327.
— — vitamin C, carotene, and major constituents of swine milk, 43.
— B, in human milk, effect of multivitamin supplements on secretion of, 141.
— B_6-deficient and normal hamsters, transamination reaction in, 575.
— B_{12}, an APF concentrate, aureomycin, streptomycin, liver "L" and fish meal and fish solubles in nutrition of poult, 249.
— — and liver extract, response of cobalt-deficient lambs to, 455.
— — influence on utilization of choline precursors by chick, 305.
— — lipotropic effect in dog, 487.
— — requirement of male weanling pigs, 371.
— C, vitamin A, carotene, and major constituents of swine milk, 43.
— D intake, effect on bone growth of various levels of. II., Minks, 433.
— E, role in production of nutritional liver injury in rats on low casein diets, 443.

WASHING and wiping dishes, energy expenditure of boys and girls 9 to 11 years of age, 295.
Water, drinking (see Drinking water).
Weanling pigs (see Pigs).
WEAST, E. O. See Cook, B. B., 51.
WESTERMAN, B. D., AND M. C. STONE. Improving the nutritive value of flour. IV. The significance of the use of enriched flour in the diet, 313.
White polished rice, nutritional improvement by addition of lysine and threonine, 101.
— rats (see Rats, white).
WHITEHAIR, C. K. See Davis, V. E., 17; Heidebrecht, A. A., 43.
WILKE, C. F. See Bassett, C. F., 433.
WILLIAM BEAUMONT (November 21, 1785–April 25, 1853), 3.
WILLIAMS, H. H. See Anderson, M. E., 335; Nelson, W. L., 585; Pratt, J. P., 141.
WING, S. M. See Taylor, C. M., 295.
Wiping and washing dishes, energy expenditure of boys and girls 9 to 11 years of age, 295.
WISEBLATT, L. See Crampton, E. W., 177.
Women, college, endogenous nitrogen output of, 553.
— metabolism during reproductive cycle. XVIII., 141.
— 6 young, absorption of iron from spinach by, and effect of beef upon the absorption, 383.
— young, effect of time factor and calorie level on nitrogen utilization of, 537.
WYLD, M. K. See Squibb, R. L., 547.

YANOFSKY, C. See Bonner, D. M., 603.
YOU, R. W. See Sellers, E. A., 513.
Young rats (see Rats, young).
— women (see Women, young).